

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

1. (Currently Amended) A solar control film comprising:
 - a) an adhesive layer for adhering the solar control film to a substrate;
 - b) ~~a metallized layer~~ no more than two metallized layers; and
 - c) a scratch resistant layer containing dispersed carbon black particles

wherein the metallized layer is between the adhesive layer for adhering to a substrate and the scratch resistant layer.

2. (Original) The solar control film of claim 1 wherein the adhesive layer comprises a pressure sensitive adhesive.

3. (Original) The solar control film of claim 1 wherein the adhesive layer comprises a dry adhesive.

4. (Original) The solar control film of claim 1 wherein a releasable liner is present on the adhesive layer.

5. (Original) The solar control film of claim 1 wherein the metallized layer is comprised of aluminum deposited on a polymeric substrate.
6. (Original) The solar control film of claim 5 wherein the polymeric substrate comprises polyethylene terephthalate.
7. (Original) The solar control film of claim 1 wherein the scratch resistant layer comprises from about 1 to about 10% by weight of the carbon black particles.
8. (Original) The solar control film of claim 1 wherein the scratch resistant coating comprises from about 2 to about 3% by weight of the carbon black particles.
9. (Original) The solar control film of claim 1 wherein the carbon black particles have an average particle size in the range of from about 0.2 to about 5.0 microns.
10. (Original) The solar control film of claim 1 wherein the carbon black particles have an average particle size in the range of from about 0.2 to about 0.5 microns.
11. (Original) The solar control film of claim 1 wherein the scratch resistant layer comprises an acrylic resin.

12. (Original) The solar control film of claim 11 wherein the acrylic resin is prepared from a mixture of pentaerythritol triacrylate ester and pentaerythritol tetraacrylate ester.

13. (Original) The solar control film of claim 1 wherein the acrylic resin is prepared from pentaerythritol tetraacrylate ester, pentaerythritol triacrylate ester and an acrylated epoxy compound.

14. (Original) The solar control film of claim 1 wherein the scratch resistant layer has a thickness in the range of from about 0.5 to about 3.0 microns.

15. (Original) The solar control film of claim 1 wherein the scratch resistant layer has a thickness in the range of from about 0.8 to about 1.8 microns.

16. (Original) The solar control film of claim 1 wherein the solar control film has a visible light transmittance of from about 10% to about 80% and a visible light reflection of from about 0% to about 8%.

17. (Original) The solar control film of claim 1 wherein the solar control film has a haze of less than about 7%.

18. (Original) The solar control film of claim 1 further comprising a polymeric film between the adhesive layer and the metallized layer.

19. (Original) The solar control film of claim 18 wherein the polymeric film is composed of polyethylene ethylene terephthalate.

20. (Original) The solar control film of claim 19 wherein the polymeric film includes an ultraviolet absorbent.

21. (Original) The solar control film of claim 18 comprising a plurality of metallized layers.

22. (Original) The solar control film of claim 21 wherein a polymeric film is located between adjacent metallized layers.

Claims 23-29 (Canceled)

30. (New) A solar control film comprising:

- a) an adhesive layer for adhering the solar control film to a substrate;
- b) a metallized layer; and

c) a scratch resistant layer containing dispersed carbon black particles wherein the metallized layer is between the adhesive layer for adhering to a substrate and the scratch resistant layer;

wherein the solar control film has a visible light transmittance of about 10% to about 80%, a visible light reflection of about 0% to about 8%, and a haze of less than about 7%.

31. (New) The solar control film of claim 30, wherein the film comprises no more than two metallized layers.
